

massachusetts institute of technology

**MITnews**

search

engineering science management architecture + planning humanities, arts, and social sciences campus video press

## Precisely engineering 3-D brain tissues

New design technique could enable personalized medicine, studies of brain wiring.

Anne Trafton, MIT News Office

### today's news

November 30, 2012

Share 

### The right's resistance to regulation



Book details how conservatives have changed the terms of the environmental debate in recent decades.

### Possible role for Huntington's gene discovered

January 16, 2013

### Study finds a new culprit for epileptic seizures

January 15, 2013

### similar stories

### New material harvests energy from water vapor

January 10, 2013

### Tiny tools help advance medical discoveries

January 8, 2013

### Recent Course X grad named one of Forbes magazine's '30 Under 30'

December 26, 2012

### New technology may enable earlier cancer diagnosis

December 16, 2012

### Tissue engineering: Growing new organs, and more

December 14, 2012

Borrowing from microfabrication techniques used in the semiconductor industry, MIT and Harvard Medical School (HMS) engineers have developed a simple and inexpensive way to create three-dimensional brain tissues in a lab dish.

The new technique yields tissue constructs that closely mimic the cellular composition of those in the living brain, allowing scientists to study how neurons form connections and to predict how cells from individual patients might respond to different drugs. The work also paves the way for developing bioengineered implants to replace damaged tissue for organ systems, according to the researchers.


"We think that by bringing this kind of control and manipulation into neurobiology, we can investigate many different directions," says Utkan Demirci, an assistant professor in the Harvard-MIT Division of Health Sciences and Technology (HST).

Demirci and Ed Boyden, associate professor of biological engineering and brain and cognitive sciences at MIT's Media Lab and McGovern Institute, are senior authors of a paper [describing the new technique](#), which appears in the Nov. 27 online edition of the journal *Advanced Materials*. The paper's lead author is Umut Gurkan, a postdoc at HST, Harvard Medical School and Brigham and Women's Hospital.

#### 'Unique challenges'

Although researchers have had some success growing artificial tissues such as liver or kidney, "the brain presents some unique challenges," Boyden says. "One of the challenges is the incredible spatial heterogeneity. There are so many kinds of cells, and they have such intricate wiring."

Brain tissue includes many types of neurons, including inhibitory and excitatory neurons, as well as supportive cells such as glial cells. All of these cells occur at specific ratios and in specific locations.



MIT engineers have devised a way to stack neurons to form three-dimensional brain tissue. Image: Marcia Williams Medical Illustrations

### multimedia

Video: MIT News at Noon — Burcu Erkmen discusses this research

### related

Paper: "Simple Precision Creation of Digitally Specified, Spatially Heterogeneous, Engineered Tissue Architectures"

Edward Boyden

Utkan Demirci

Bio-Acoustic-MEMS in Medicine Laboratories

McGovern Institute for Brain Research

MIT Media Lab

Department of Brain and Cognitive Sciences

Harvard-MIT Division of Health Sciences and Technology

ARCHIVE: "Robots that reveal the inner workings of brain cells"

### tags

brain and cognitive sciences

health sciences and technology

mcgovern institute

media lab

microfabrication

neurons

To mimic this architectural complexity in their engineered tissues, the researchers embedded a mixture of brain cells taken from the primary cortex of rats into sheets of hydrogel. They also included components of the extracellular matrix, which provides structural support and helps regulate cell behavior.

Those sheets were then stacked in layers, which can be sealed together using light to crosslink hydrogels. By covering layers of gels with plastic photomasks of varying shapes, the researchers could control how much of the gel was exposed to light, thus controlling the 3-D shape of the multilayer tissue construct.

This type of photolithography is also used to build integrated circuits onto semiconductors — a process that requires a photomask aligner machine, which costs tens of thousands of dollars. However, the team developed a much less expensive way to assemble tissues using masks made from sheets of plastic, similar to overhead transparencies, held in place with alignment pins.

The tissue cubes can be made with a precision of 10 microns, comparable to the size of a single cell body. At the other end of the spectrum, the researchers are aiming to create a cubic millimeter of brain tissue with 100,000 cells and 900 million connections.

The new system is the first that includes all of the necessary features for building useful 3-D tissues: It is inexpensive, precise, and allows complex patterns to be generated, says Metin Sitti, a professor of mechanical engineering at Carnegie Mellon University. “Many people could easily use this method for creating heterogeneous, complex gel structures,” says Sitti, who was not part of the research team.

### Answering fundamental questions

Because the tissues include a diverse repertoire of brain cells, occurring in the same ratios as they do in natural brain tissue, they could be used to study how neurons form the connections that allow them to communicate with each other.

“In the short term, there’s a lot of fundamental questions you can answer about how cells interact with each other and respond to environmental cues,” Boyden says.

As a first step, the researchers used these tissue constructs to study how a neuron’s environment might constrain its growth. To do this, they placed single neurons in gel cubes of different sizes, then measured the cells’ neurites, long extensions that neurons use to communicate with other cells. It turns out that under these conditions, neurons get “claustrophobic,” Demirci says. “In small gels, they don’t necessarily send out as long neurites as they would in a five-times-larger gel.”

In the long term, the researchers hope to gain a better understanding of how to design tissue implants that could be used to replace damaged tissue in patients. Much research [has been done in this area](#), but it has been difficult to figure out whether the new tissues are correctly wiring up with existing tissue and exchanging the right kinds of information.

Another long-term goal is using the tissues for personalized medicine. One day, doctors may be able to take cells from a patient with a neurological disorder and transform them into induced pluripotent stem cells, then induce these constructs to grow into neurons in a lab dish. By exposing these tissues to many possible drugs, “you might be able to figure out if a drug would benefit that person without having to spend years giving them lots of different drugs,” Boyden says.

Other authors of the paper are Yantao Fan, a visiting graduate student at HMS and HST; Feng Xu and Emel Sokullu Urkac, postdocs at HMS and HST; Gunes Parlakgul, a visiting medical student at HMS and HST; MIT graduate students Jacob Bernstein and Burcu Erkmen; and Wangli Xing, a professor at Tsinghua University.

The research was funded by the National Science Foundation, the Paul Allen Family Foundation, the New York Stem Cell Foundation, the National Institutes of Health, the Institute of Engineering and Technology A.F. Harvey Prize, and MIT Lincoln Laboratory.

---

tissue engineering

---

artificial tissue

---

medicine

---

photolithography

---

3-d tissues

---

biomedicine

---

mechanical engineering

---

tissue implants

---

stem cells

---

bioengineering and  
biotechnology

---

biological engineering

## MIT News at Noon with Burcu Erkmen

[MIT News](#)

[View on MIT video](#)

105  

---

### Comments

[Log in to write comments](#)



MIT news | 77 Massachusetts Avenue, Room 11-400 | Cambridge, MA 02139-4307 | 617.253.2700 | TTY 617.258.9344  
[twitter](#) | [rss](#) | [contact](#) | [about the mit news office](#) | [terms of use](#) | [comments](#) | **Massachusetts Institute of Technology**

